

Please check the examination details below before entering your candidate information

Candidate surname					Other names				
Centre Number				Candidate Number					
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Pearson Edexcel Level 1/Level 2 GCSE (9–1)

Time 1 hour 10 minutes

Paper reference **1SC0/2CF**

Combined Science

PAPER 5

Foundation Tier

You must have:
Calculator, ruler

Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- Calculators may be used.
- Any diagrams may NOT be accurately drawn, unless otherwise indicated.
- You must **show all your working out** with **your answer clearly identified** at the **end of your solution**.

Information

- The total mark for this paper is 60.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*
- In questions marked with an **asterisk** (*), marks will be awarded for your ability to structure your answer logically, showing how the points that you make are related or follow on from each other where appropriate.
- There is a periodic table on the back cover of the paper.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P69475A

©2022 Pearson Education Ltd.

Q:1/1/




Pearson

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



Answer ALL questions. Write your answers in the spaces provided.

Some questions must be answered with a cross in a box ☒. If you change your mind about an answer, put a line through the box ☒ and then mark your new answer with a cross ☒.

- 1 This question is about elements in group 1 of the periodic table.
- (a) Figure 1 shows the symbols of the first three elements in group 1 of the periodic table and their melting points.

symbol	melting point in °C
Li	181
Na	98
K	64

Figure 1

Use the periodic table to answer these questions.

- (i) Give the symbol of **another** element in group 1.

(1)

.....

- (ii) Give the atomic number of lithium.

(1)

.....

- (iii) Describe the trend in the melting points of the elements in Figure 1.

(2)

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



P 6 9 4 7 5 A 0 3 2 0

(b) The elements in group 1 react very vigorously with water.

A student suggests this method to see what happens when sodium reacts with water.

- step 1** put on safety glasses and a laboratory coat
- step 2** cut a $2\text{ cm} \times 2\text{ cm} \times 2\text{ cm}$ cube of sodium
- step 3** put a few drops of water in the container shown in Figure 2
- step 4** add the sodium to the water in the container and observe the reaction

(i) Figure 2 shows a diagram of the container the student suggested for step 3.



Figure 2

Give the name of the container shown in Figure 2.

(1)

.....



(ii) A teacher says that the method is not safe because the reaction is too vigorous.

Explain changes that could be made to step 2 and to step 3 that would make the method safer.

(3)

step 2: change and explanation

.....

.....

.....

step 3: change and explanation

.....

.....

.....

(Total for Question 1 = 8 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



2 Some reactions are exothermic and some reactions are endothermic.

(a) What does an exothermic reaction always give out?

(1)

- A** heat energy
- B** light
- C** a gas
- D** sound

(b) In an experiment, a solid is mixed with a liquid.
The temperature change of the mixture is measured.

Figure 3 shows the apparatus that is used.




Figure 3

(i) Give the letter of the piece of apparatus, **A**, **B**, **C** or **D**, in Figure 3 that is used to measure the temperature.

(1)

.....

(ii) Give the name of the piece of apparatus **B** shown in Figure 3.

(1)

.....

(iii) The piece of apparatus labelled **C** is made from polystyrene.

State why polystyrene is a better material than glass for this piece of apparatus.

(1)

.....
.....



(iv) The results of the experiment are given in Figure 4.

temperature of liquid at start in °C	18.6
temperature of products at end in °C	16.1

Figure 4

Calculate the change in temperature.

Give a sign and a unit in your answer.

(3)

temperature change =

(v) The solid used in this experiment contained only NH_4^+ ions and NO_3^- ions.

Give the formula and the name of the solid.

(2)

formula

name

(Total for Question 2 = 9 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



P 6 9 4 7 5 A 0 7 2 0

3 (a) Figure 5 shows one molecule of a compound obtained from crude oil.




Figure 5

(i) Give the names of the **two** elements in this molecule.

(2)

.....
.....

(ii) What is the molecule in Figure 5?

(1)

- A an oxide
- B a chain molecule
- C a fullerene
- D a ring molecule

(iii) What is the relative formula mass of the compound in Figure 5?

(relative atomic masses: H = 1.0, C = 12)

(1)

- A 13
- B 42
- C 44
- D 96

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(b) Crude oil can be separated into different fractions.

Draw **one** straight line from each fraction to a use of that fraction.

(3)

fraction

use

petrol ●

kerosene ●

bitumen ●

● fuel for aircraft

● fuel for ships

● fuel for cars

● making plastic

● extracting iron

● making road surfaces

(c) Hydrogen chloride gas and sulfur dioxide gas are dissolved in separate test tubes of water.

Blue litmus paper is dipped into each test tube.

State and explain the colour change you would observe in each test tube.

(3)

.....

.....

.....

.....

.....

.....

(Total for Question 3 = 10 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



P 6 9 4 7 5 A 0 9 2 0

4 This question is about elements in group 7, the halogens.

(a) Which halogen is a green gas at room temperature and pressure?

(1)

- A bromine
- B chlorine
- C fluorine
- D iodine

(b) Bromine, chlorine and iodine all react with heated iron wool.

Figure 6 shows the speed of these reactions.

halogen	description of reaction with heated iron wool
bromine	reacts quickly
chlorine	reacts very quickly
iodine	reacts slowly

Figure 6

(i) When iron wool is heated with chlorine, iron chloride is formed.

Write the word equation for this reaction.

(2)

.....

.....

(ii) Give the name of the halogen in Figure 6 that is the most reactive with iron.

(1)

.....



(iii) 34.4% of the mass of iron chloride is iron.

Calculate the mass of iron and the mass of chlorine in 125 g of iron chloride.

(3)

mass of iron = g mass of chlorine = g

(c) Alkenes react with halogens.

When iron chloride is added to the reaction mixture, the reaction is much faster but the products are the same.

Use words from the box to complete the sentences.

an acid a catalyst higher lower a reactant unchanged

(2)

The iron chloride speeds up the reaction because it is

After the reaction, the mass of iron chloride is

(Total for Question 4 = 9 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- 5 A student used the apparatus in Figure 7 to investigate the rate of the reaction between a metal and dilute hydrochloric acid.

Pieces of the metal were placed in dilute hydrochloric acid in the flask, and the total volume of gas produced was measured every minute.




Figure 7

- (a) Figure 8 shows a graph of the student's results.




Figure 8

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- (i) Name a piece of apparatus that would be better to measure the volume of gas produced, instead of the 250 cm³ measuring cylinder.

Give a reason for your answer.

(2)

name of apparatus

reason

- (ii) Calculate the mean rate of production of hydrogen over the first 90 seconds, in cm³ per second.

(3)

rate = cm³ per second

- (iii) The student measured the volume of gas for 10 minutes.

State why the measurements could have been stopped at 9 minutes.

(1)

- (b) The experiment was repeated, but with acid of a higher concentration.

The rate of reaction was faster.

- (i) Explain why the rate of reaction increases when the concentration of acid is increased.

(2)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



P 6 9 4 7 5 A 0 1 3 2 0

(ii) Another student suggests four other ways of increasing the rate of this reaction.

Which one is correct?

(1)

- A** use the same acid but at a lower temperature
- B** use a larger trough
- C** use a smaller flask
- D** use the same metal but in a powdered form

(c) The apparatus in Figure 7 can be used to measure the rate of the reaction between marble chips and hydrochloric acid.

The student needs different sized marble chips.

Describe how the student can make small and medium sized marble chips from large chips.

(2)

.....

.....

.....

(Total for Question 5 = 11 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



6 This question is about gases.

(a) When sodium is added to water, hydrogen gas is produced.

Which observation shows that a gas has been produced?

(1)

- A a white precipitate forms
- B effervescence is seen
- C the sodium sinks in the water
- D the water changes to a pink colour

(b) Some damp litmus paper is placed in a gas.
The litmus paper is bleached.

Which gas bleaches damp litmus paper?

(1)

- A carbon dioxide
- B chlorine
- C hydrogen
- D oxygen

(c) When calcium carbonate is heated it decomposes.



When 5.000 g of calcium carbonate is heated, the mass of solid remaining is 2.800 g.

Calculate the mass of carbon dioxide that has been released.

Give your answer to three significant figures.

(2)

.....
.....
mass of carbon dioxide = g


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(d) A diagram of an atom of helium is shown in Figure 9.



Key

⊖ = electron

○ = neutron

⊕ = proton

Figure 9

(i) Explain, using Figure 9, why helium is inert.

(2)

(ii) Helium is used to fill balloons.

State one property of helium, apart from it being inert, that makes it suitable for filling balloons.

(1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



P 6 9 4 7 5 A 0 1 7 2 0

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Large area with horizontal dotted lines for writing.

(Total for Question 6 = 13 marks)

TOTAL FOR PAPER = 60 MARKS



The periodic table of the elements

1	2	3	4	5	6	7	0
7 Li lithium 3	9 Be beryllium 4	23 Na sodium 11	24 Mg magnesium 12	39 K potassium 19	40 Ca calcium 20	85 Rb rubidium 37	133 Cs caesium 55
55 Mn manganese 25	56 Fe iron 26	59 Co cobalt 27	59 Ni nickel 28	65 Zn zinc 30	70 Ga gallium 31	73 Ge germanium 32	75 As arsenic 33
85 Rb rubidium 37	88 Sr strontium 38	137 Ba barium 56	139 La* lanthanum 57	178 Hf hafnium 72	181 Ta tantalum 73	184 W tungsten 74	186 Re rhenium 75
101 Ru ruthenium 44	103 Rh rhodium 45	106 Pd palladium 46	108 Ag silver 47	112 Cd cadmium 48	115 In indium 49	119 Sn tin 50	122 Sb antimony 51
127 I iodine 53	128 Te tellurium 52	129 Bi bismuth 83	129 Po polonium 84	129 At astatine 85	131 Xe xenon 54	[222] Rn radon 86	
192 Ir iridium 77	192 Rh rhodium 45	195 Pt platinum 78	197 Au gold 79	201 Hg mercury 80	204 Tl thallium 81	207 Pb lead 82	[209] Po polonium 84
190 Os osmium 76	192 Rh rhodium 45	195 Pt platinum 78	197 Au gold 79	201 Hg mercury 80	204 Tl thallium 81	207 Pb lead 82	[209] Po polonium 84
186 Re rhenium 75	186 Tc technetium 43	186 Re rhenium 75	186 Re rhenium 75	186 Re rhenium 75	186 Re rhenium 75	186 Re rhenium 75	186 Re rhenium 75
184 W tungsten 74	184 W tungsten 74	184 W tungsten 74	184 W tungsten 74	184 W tungsten 74	184 W tungsten 74	184 W tungsten 74	184 W tungsten 74
181 Ta tantalum 73	181 Ta tantalum 73	181 Ta tantalum 73	181 Ta tantalum 73	181 Ta tantalum 73	181 Ta tantalum 73	181 Ta tantalum 73	181 Ta tantalum 73
178 Hf hafnium 72	178 Hf hafnium 72	178 Hf hafnium 72	178 Hf hafnium 72	178 Hf hafnium 72	178 Hf hafnium 72	178 Hf hafnium 72	178 Hf hafnium 72
166 Yb ytterbium 80	167 Lu lutetium 71	167 Lu lutetium 71	167 Lu lutetium 71	167 Lu lutetium 71	167 Lu lutetium 71	167 Lu lutetium 71	167 Lu lutetium 71
162 Sm samarium 62	162 Eu europium 63	162 Eu europium 63	162 Eu europium 63	162 Eu europium 63	162 Eu europium 63	162 Eu europium 63	162 Eu europium 63
150 Pr praseodymium 59	150 Nd neodymium 60	150 Nd neodymium 60	150 Nd neodymium 60	150 Nd neodymium 60	150 Nd neodymium 60	150 Nd neodymium 60	150 Nd neodymium 60
147 Er erbium 68	147 Tm thulium 69	147 Tm thulium 69	147 Tm thulium 69	147 Tm thulium 69	147 Tm thulium 69	147 Tm thulium 69	147 Tm thulium 69
145 Sc scandium 21	145 Sc scandium 21	145 Sc scandium 21	145 Sc scandium 21	145 Sc scandium 21	145 Sc scandium 21	145 Sc scandium 21	145 Sc scandium 21
140 Zr zirconium 40	140 Zr zirconium 40	140 Zr zirconium 40	140 Zr zirconium 40	140 Zr zirconium 40	140 Zr zirconium 40	140 Zr zirconium 40	140 Zr zirconium 40
137 Y yttrium 39	137 Y yttrium 39	137 Y yttrium 39	137 Y yttrium 39	137 Y yttrium 39	137 Y yttrium 39	137 Y yttrium 39	137 Y yttrium 39
132 Mo molybdenum 42	132 Mo molybdenum 42	132 Mo molybdenum 42	132 Mo molybdenum 42	132 Mo molybdenum 42	132 Mo molybdenum 42	132 Mo molybdenum 42	132 Mo molybdenum 42
131 Nb niobium 41	131 Nb niobium 41	131 Nb niobium 41	131 Nb niobium 41	131 Nb niobium 41	131 Nb niobium 41	131 Nb niobium 41	131 Nb niobium 41
130 V vanadium 23	130 V vanadium 23	130 V vanadium 23	130 V vanadium 23	130 V vanadium 23	130 V vanadium 23	130 V vanadium 23	130 V vanadium 23
129 Cr chromium 24	129 Cr chromium 24	129 Cr chromium 24	129 Cr chromium 24	129 Cr chromium 24	129 Cr chromium 24	129 Cr chromium 24	129 Cr chromium 24
127 Co cobalt 27	127 Co cobalt 27	127 Co cobalt 27	127 Co cobalt 27	127 Co cobalt 27	127 Co cobalt 27	127 Co cobalt 27	127 Co cobalt 27
127 Ni nickel 28	127 Ni nickel 28	127 Ni nickel 28	127 Ni nickel 28	127 Ni nickel 28	127 Ni nickel 28	127 Ni nickel 28	127 Ni nickel 28
127 Cu copper 29	127 Cu copper 29	127 Cu copper 29	127 Cu copper 29	127 Cu copper 29	127 Cu copper 29	127 Cu copper 29	127 Cu copper 29
127 Zn zinc 30	127 Zn zinc 30	127 Zn zinc 30	127 Zn zinc 30	127 Zn zinc 30	127 Zn zinc 30	127 Zn zinc 30	127 Zn zinc 30
127 Ga gallium 31	127 Ga gallium 31	127 Ga gallium 31	127 Ga gallium 31	127 Ga gallium 31	127 Ga gallium 31	127 Ga gallium 31	127 Ga gallium 31
127 Ge germanium 32	127 Ge germanium 32	127 Ge germanium 32	127 Ge germanium 32	127 Ge germanium 32	127 Ge germanium 32	127 Ge germanium 32	127 Ge germanium 32
127 As arsenic 33	127 As arsenic 33	127 As arsenic 33	127 As arsenic 33	127 As arsenic 33	127 As arsenic 33	127 As arsenic 33	127 As arsenic 33
127 Se selenium 34	127 Se selenium 34	127 Se selenium 34	127 Se selenium 34	127 Se selenium 34	127 Se selenium 34	127 Se selenium 34	127 Se selenium 34
127 Br bromine 35	127 Br bromine 35	127 Br bromine 35	127 Br bromine 35	127 Br bromine 35	127 Br bromine 35	127 Br bromine 35	127 Br bromine 35
127 Kr krypton 36	127 Kr krypton 36	127 Kr krypton 36	127 Kr krypton 36	127 Kr krypton 36	127 Kr krypton 36	127 Kr krypton 36	127 Kr krypton 36
127 Rb rubidium 37	127 Rb rubidium 37	127 Rb rubidium 37	127 Rb rubidium 37	127 Rb rubidium 37	127 Rb rubidium 37	127 Rb rubidium 37	127 Rb rubidium 37
127 Sr strontium 38	127 Sr strontium 38	127 Sr strontium 38	127 Sr strontium 38	127 Sr strontium 38	127 Sr strontium 38	127 Sr strontium 38	127 Sr strontium 38
127 Y yttrium 39	127 Y yttrium 39	127 Y yttrium 39	127 Y yttrium 39	127 Y yttrium 39	127 Y yttrium 39	127 Y yttrium 39	127 Y yttrium 39
127 Zr zirconium 40	127 Zr zirconium 40	127 Zr zirconium 40	127 Zr zirconium 40	127 Zr zirconium 40	127 Zr zirconium 40	127 Zr zirconium 40	127 Zr zirconium 40
127 Nb niobium 41	127 Nb niobium 41	127 Nb niobium 41	127 Nb niobium 41	127 Nb niobium 41	127 Nb niobium 41	127 Nb niobium 41	127 Nb niobium 41
127 Mo molybdenum 42	127 Mo molybdenum 42	127 Mo molybdenum 42	127 Mo molybdenum 42	127 Mo molybdenum 42	127 Mo molybdenum 42	127 Mo molybdenum 42	127 Mo molybdenum 42
127 Tc technetium 43	127 Tc technetium 43	127 Tc technetium 43	127 Tc technetium 43	127 Tc technetium 43	127 Tc technetium 43	127 Tc technetium 43	127 Tc technetium 43
127 Ru ruthenium 44	127 Ru ruthenium 44	127 Ru ruthenium 44	127 Ru ruthenium 44	127 Ru ruthenium 44	127 Ru ruthenium 44	127 Ru ruthenium 44	127 Ru ruthenium 44
127 Rh rhodium 45	127 Rh rhodium 45	127 Rh rhodium 45	127 Rh rhodium 45	127 Rh rhodium 45	127 Rh rhodium 45	127 Rh rhodium 45	127 Rh rhodium 45
127 Pd palladium 46	127 Pd palladium 46	127 Pd palladium 46	127 Pd palladium 46	127 Pd palladium 46	127 Pd palladium 46	127 Pd palladium 46	127 Pd palladium 46
127 Ag silver 47	127 Ag silver 47	127 Ag silver 47	127 Ag silver 47	127 Ag silver 47	127 Ag silver 47	127 Ag silver 47	127 Ag silver 47
127 Cd cadmium 48	127 Cd cadmium 48	127 Cd cadmium 48	127 Cd cadmium 48	127 Cd cadmium 48	127 Cd cadmium 48	127 Cd cadmium 48	127 Cd cadmium 48
127 In indium 49	127 In indium 49	127 In indium 49	127 In indium 49	127 In indium 49	127 In indium 49	127 In indium 49	127 In indium 49
127 Sn tin 50	127 Sn tin 50	127 Sn tin 50	127 Sn tin 50	127 Sn tin 50	127 Sn tin 50	127 Sn tin 50	127 Sn tin 50
127 Sb antimony 51	127 Sb antimony 51	127 Sb antimony 51	127 Sb antimony 51	127 Sb antimony 51	127 Sb antimony 51	127 Sb antimony 51	127 Sb antimony 51
127 Te tellurium 52	127 Te tellurium 52	127 Te tellurium 52	127 Te tellurium 52	127 Te tellurium 52	127 Te tellurium 52	127 Te tellurium 52	127 Te tellurium 52
127 I iodine 53	127 I iodine 53	127 I iodine 53	127 I iodine 53	127 I iodine 53	127 I iodine 53	127 I iodine 53	127 I iodine 53
127 Xe xenon 54	127 Xe xenon 54	127 Xe xenon 54	127 Xe xenon 54	127 Xe xenon 54	127 Xe xenon 54	127 Xe xenon 54	127 Xe xenon 54
127 Bi bismuth 83	127 Bi bismuth 83	127 Bi bismuth 83	127 Bi bismuth 83	127 Bi bismuth 83	127 Bi bismuth 83	127 Bi bismuth 83	127 Bi bismuth 83
127 Po polonium 84	127 Po polonium 84	127 Po polonium 84	127 Po polonium 84	127 Po polonium 84	127 Po polonium 84	127 Po polonium 84	127 Po polonium 84
127 At astatine 85	127 At astatine 85	127 At astatine 85	127 At astatine 85	127 At astatine 85	127 At astatine 85	127 At astatine 85	127 At astatine 85
127 Rn radon 86	127 Rn radon 86	127 Rn radon 86	127 Rn radon 86	127 Rn radon 86	127 Rn radon 86	127 Rn radon 86	127 Rn radon 86
127 He helium 2	127 He helium 2	127 He helium 2	127 He helium 2	127 He helium 2	127 He helium 2	127 He helium 2	127 He helium 2

1	H
hydrogen	1

relative atomic mass
atomic symbol
name
atomic (proton) number

* The elements with atomic numbers from 58 to 71 are omitted from this part of the periodic table.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

